



(주)세븐카워시 코리아

Seven Car Wash Korea Inc.

Steam Jet Car Wash System



Steam Jet Car Wash System



www.7carwash.com



Mobile Steam Carwash Machine

CL1700



◆ Diesel Model

- Stainless Steel body
- Digital LED Control Panel
- Over Pressure protection system
- Over Temperature Protection system
- Vapor controller Available
- Water Shortage Alarm System
- Power Leaking protection system

◆ Option :

- Two gun system, Multiple nozzle



◆◆ Specifications ◆◆

| | |
|---------------------|---|
| Fuel | Diesel, Kerosene |
| Power | DC 12V 40AH (Car Battery) or 220v/ 50-60Hz(100W) |
| Steam Pressure | 9Kgf / cm ² |
| Steam temperature | 120°C (Max) |
| Water tank Capacity | 20 ℓ |
| Safety Valve | 10Kgf / cm ² |
| Hose Length | 10M (20M) |
| Dimensions | 500(w) X 900(L)X850(H) |
| Weight | 95Kg |

CL1500




◆ LPG Gas Model

- Stainless Steel body,
- Digital LED Control Panel
- Over Pressure protection system
- Over Temperature Protection system
- Vapor controller Available
- Water Shortage Alarm System
- Power Leaking protection system

◆ Option :

- Two gun system, Multiple nozzle,



◆◆ Specifications ◆◆

| | |
|---------------------|---|
| Fuel | LP Propane |
| Power | DC 12V 40AH (Car Battery) or 220v/ 50-60Hz(100W) |
| Steam Pressure | 9Kgf / cm ² |
| Steam temperature | 120°C (Max) |
| Water tank Capacity | 20 ℓ |
| Safety Valve | 10Kgf / cm ² |
| Hose Length | 10M (20M) |
| Dimensions | 500(w) X 900(L)X850(H) |
| Weight | 95Kg |

Electric Steam Carwash Machine

SP7000 / SP7000PR



◆ Electric Model

- Stainless Steel & Painted body
- 1Phase 220V / 3Phase 380V (10KW)
- 5KW / 10KW Max Electricity
- Digital LED Control Panel
- Over Pressure protection system
- Over Temperature Protection system
- Vapor controller Available
- Water Shortage Alarm System
- Power Leaking protection system

◆ Option :

- Multiple nozzle



◆◆ Specifications ◆◆

| | |
|---------------------|--|
| Max Electricity | 5KW / 10KW |
| Power | 1Phase 220v 45Amp 3Phase 380v 15Amp 1Phase 220v / 50 ~ 60Hz (5KW) |
| Steam Pressure | 8~9Kgf / cm ² |
| Steam temperature | 120°C (Max) |
| Water tank Capacity | 20 ℓ |
| Safety Valve | 10Kgf / cm ² |
| Hose Length | 10M (20M) |
| Dimensions | 450(w) X 755(L) X 740(H) |
| Weight | 60Kg / 65Kg |

SP7000SM



◆ Electric Self Service Wash Model

- Painted Steel body,
- Coin or Card Available
- Including Vacuum Cleaner
- Direct Water connection
- 1Phase 220V or 3 Phase 380V
- 10KW Max Electricity
- Digital LED Control Panel
- Over Pressure protection system
- Over Temperature Protection system
- Vapor controller Available
- Water Shortage Alarm System
- Power Leaking protection system

◆ Option :

- Hand sanitizing system,
RF Card system



◆◆ Specifications ◆◆

| | |
|-------------------|--|
| Max Electricity | 10KW |
| Power | 1Phase 220v 45Amp 3Phase 380v 15Amp |
| Steam Pressure | 9Kgf / cm ² |
| Steam temperature | 120°C (Max) |
| Safety Valve | 10Kgf / cm ² |
| Hose Length | 10M |
| Dimensions | 530(w) X 660(L) X 1380(H) |
| Weight | 80Kg |

Steam / Vacuum Cleaner

▶▶▶ **SVC777** SP7000PR



◆ Electric Model

- Sanitation & Cleaning
- Hot detergent Injection
- Digital LED Control Panel
- Over Pressure protection system
- Over Temperature Protection system
- Water Shortage Alarm System
- Power Leaking protection system

◆ Option :

- Vacuum Cleaner nozzle



◆ Standard

◆◆◆ Specifications ◆◆◆

| | |
|-------------------|--------------------------|
| Power Consumption | 2~3KW + 1KW (Vacuum) |
| Power | 220V / 50-60Hz |
| Steam Pressure | 6Kgf / cm ² |
| Vacuum | 500(mmHgO) |
| Water tank | 5 l |
| Boiler Tank | 5 l |
| Water Consumption | 100~150cc / Min |
| Dimensions | 450(W) X 755(L) X 740(H) |
| Weight | 35Kg |

▶▶▶ Certificates



The Steam Carwash System

Steam car washer of 7 Carwash is easy to use and is an economical and environment-friendly car wash solution.

Wash a car in use of the high pressure steam used by a specially fabricated steam generator, and use a small amount water of 2 liter per one vehicle that is not required a detergent.

Furthermore it does not cause a scratch on the vehicle during wash, easy to use, and possible to work faster than the existing car wash system.

It sufficiently equips with safety facility on the pressure, electricity and provides a sufficient reliability since it has a body casing made of stainless steel .




As this machine does not occupy a large space, it is possible to use even within the small space at the automobile interior shop or parking lot, big-size discount mart.



Moreover it does not need a waste water treatment facility because it does not create waste water. And since maintenance is easy and cost is little, it can produce a lot of effect by a small investment and is a car wash solution which is free from the regulations on environment or the issue of cost.

This product is possible to clean the in & outside of the vehicle including engine or wheel etc, and is suitable for public places too such as hospital, theater, public transportation, restaurant, etc, where sterilization and cleaning are necessary.





(주)세븐카워시 코리아

Seven Car Wash Korea Inc.

Steam Jet Car Wash System

#345-14, Partners Tower 5F, Gasan-dong, Geuncheon-gu,
Seoul, Korea ZIP CODE : 153-802

TEL. 82-2-866-4210 FAX. 82-2-866-6746 [http. www.7carwash.com](http://www.7carwash.com)